

## ДОПОЛНИТЕЛЬНЫЙ МАТЕРИАЛ 6. REFERENCES

- Alekseychik P., Lappalainen H., Petäjä T., et al. Ground station network in the Boreal-Arctic Pan-Eurasian region: an overview. *Geography, environment, sustainability*, 2016, 9(2), 75–88. doi: 10.15356/2071-9388\_02v09\_2016\_06
- Alekseychik P., Mammarella I., Karpov D., Dengel S., Terentieva I., Sabrekov A., Glagolev M., Lapshina E. Net ecosystem exchange and energy fluxes measured with eddy covariance technique in a West Siberian bog. *Atmospheric Chemistry and Physics*, 2017, 17, 9333–9345. doi: 10.5194/acp-2017-43.
- Arneth A., Kurbatova J., Kolle O., Shibistova O.B., Lloyd J., Vygodskaya N.N., Schulze E.-D. Comparative ecosystem–atmosphere exchange of energy and mass in a European Russian and a central Siberian bog II. Interseasonal and interannual variability of CO<sub>2</sub> fluxes. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 514–530.
- Baldocchi D.D. Assessing the eddy covariance technique for evaluating carbon dioxide exchange rates of ecosystems: past, present and future. *Global Change Biology*, 2003, 9(4), 479–492.
- Baldocchi D.D. How eddy covariance flux measurements have contributed to our understanding of Global Change Biology. *Global Change Biology*, 2020, 26(1), 242–260.
- Baldocchi D.D., Hincks B.B., Meyers T.P. Measuring biosphere-atmosphere exchanges of biologically related gases with micrometeorological methods. *Ecology*, 1988, 69(5), 1331–1340.
- Baldocchi D.D., Valentini R., Running S.R., Oechel W., Dahlman R. Strategies for measuring and modelling CO<sub>2</sub> and water vapor fluxes over terrestrial ecosystems. *Global Change Biology*, 1996, 2, 159–168. doi: <https://doi.org/10.1111/j.1365-2486.1996.tb00069.x>
- Belelli Marchesini L., Papale D., Reichstein M., Vuichard N., Tchebakova N., Valentini R. Carbon balance assessment of a natural steppe of southern Siberia by multiple constraint approach. *Biogeosciences*, 2007, 4(4), 581–595.
- Besnard S., Carvalhais N., Arain M.A., et al. Quantifying the effect of forest age in annual net forest carbon balance. *Environmental Research Letters*, 2018, 13(12), 124018.
- Bioproduktsionnyy protsess v lesnykh ekosistemakh Severa* (Process of biological production in the forest ecosystems of the North). Bobkova K.S., Galenko E. P., Eds. St. Petersburg: Nauka Publ., 2011.
- Bleuten W., Zarov E., Schmitz O. A high-resolution transient 3-dimensional hydrological model of an extensive undisturbed bog complex in West Siberia. *Mires and Peat*, 2020, 26(6), 25. doi: 10.19189/MaP.2019.OMB.StA.1769

- Broxton P.D., Zeng X., Sulla-Menashe D., Troch P.A. A global land cover climatology using MODIS data. *Journal of Applied Meteorology and Climatology*, 2014, 53(6), 1593–1605.
- Burba G. *Eddy Covariance Method for Scientific, Regulatory, and Commercial Applications*. Lincoln: LI-COR Biosciences, 2022. 702 p.
- Burba G.G., Kurbatova Yu.A., Kuricheva O.A., Avilov V.K., Mamkin V.V. *Metod turbulentnykh pulsatsiy. Kratkoye prakticheskoye rukovodstvo* (A Brief Practical Guide to Eddy Covariance Flux Measurements: Principles and Workflow Examples for Scientific and Industrial Applications). Moscow: IPEE RAS Publ., 2016. (In Russ.)
- Chapin F.S., Woodwell G.M., Randerson J.T., Rastetter E.B., Lovett G.M., Baldocchi D.D., Clark D.A., Harmon M.E., Schimel D.S., Valentini R., Wirth C. Reconciling carbon-cycle concepts, terminology, and methods. *Ecosystems*, 2006, 9(7), 1041–1050.
- Chebakova N.M., Vygodskaya N.N., Arnet A., Beilelli Marchesini L., Kurbatova Yu.A., Parfenova E.I., Valentini R., Verkhovets S.V., Vaganov E.A., Schulze E.D. Energy and Mass Transfer and the Productivity of the Main Ecosystems of Siberia (According to the Results of Measurements by the Method of Turbulent Pulsations). 2. Carbon Exchange and Productivity. *Izv. RAN. ser. Biol.*, 2014, 1, 65–75. (In Russ.). doi: 10.7868/S0002332914010044
- Delwiche K.B., Knox S.H., Malhotra A., et al. FLUXNET-CH4: A global, multi-ecosystem dataset and analysis. *Earth Syst. Sci. Data*, 2021, 13, 3607–3689. doi: <https://doi.org/10.5194/essd-13-3607-2021>
- Doklad ob osobennostyakh klimata na territorii Rossiyskoy Federatsii za 2019 god* (A Report on Climate Features on the Territory of the Russian Federation in 2019). Moscow: Rosgidromet Publ., 2020 (In Russ.).
- Dolman A.J., Maximov T., Moors E.J., Maximov A.P., Elbers J.A., Kononov A.V. and Van Der Molen M.K. Net ecosystem exchange of carbon dioxide and water of far eastern Siberian Larch (*Larix cajanderii*) on permafrost. *Biogeosciences*, 2004, 1(2), 133–146.
- Dolman A. J., Shvidenko A., Schepaschenko D., Ciais P., Tchebakova N., Chen T., van der Molen M. K., Beilelli Marchesini L., Maximov T. C., Maksyutov S., Schulze E.-D. An estimate of the terrestrial carbon budget of Russia using inventory-based, eddy covariance and inversion methods. *Biogeosciences*, 2012, 9(12), 5323–5340.
- Dymov A.A., Grodnitskaya I.D., Yakovleva E.V., Dubrovskiy Y.A., Kutuyavin I.N., Startsev V.V., Milanovsky E.Y., Prokushkin A.S. Albic Podzols of Boreal Pine Forests of Russia: Soil Organic Matter, Physicochemical and Microbiological Properties across Pyrogenic History. *Forests*, 2022, 13, 1831. <https://doi.org/10.3390/f13111831>

Dyukarev E., Filippova N., Karpov D., Shnyrev N., Zarov E., Filippov I., Voropay N., Avilov V., Artamonov A., Lapshina E. Hydrometeorological dataset of West Siberian boreal peatland: a 10-year record from the Mukhrino field station. *Earth System Science Data*, 2021a, 13, 2595–2605. doi: 10.5194/essd-13-2595-2021.

Dyukarev E., Zarov E., Alekseychik P., Nijp J., Filippova N., Mammarella I., Filippov I., Bleuten W., Khoroshavin V., Ganasevich G., Meshcheryakova A., Vesala T., Lapshina E. The multiscale monitoring of peatland ecosystem carbon cycling in the middle taiga zone of Western Siberia: the Mukhrino bog case study. *Land*, 2021b, 10(8), 824. doi: 10.3390/land10080824.

*Ecosystem of a mesooligotrophic peatland in northwestern Russia: development, structure, and function.* Zagirova S., Shneider J., Eds. Syktyvkar: Komi Scientific Centre of Ural branch of RAS, 2016. 172 p.

*Eddy covariance: a practical guide to measurement and data analysis.* Aubinet M., Vesala T., Papale D., Eds. Dordrecht: Springer Dordrecht, 2012. 438 p. doi: <https://doi.org/10.1007/978-94-007-2351-1>

Filipchuk A. N., Malysheva N.V., Zolina T.A., Yugov A.N. The boreal forest of Russia: opportunities for the effects of climate change mitigation. *Lesokhozyaystvennaya informatsiya*, 2020, 1, 92–113. (In Russ.). doi: 10.24419/LHI.2304-3083.2020.1.10

Foken T. *Micrometeorology*. Berlin: Springer, 2008. 308 p.

Gilhespy S. L., Anthony S., Cardenas L., Chadwick D., del Prado A., Li C., Misselbrook T., Rees R.M., Salas W., Sanz-Cobena A., Smith P., Tilston E.L., Topp C.F.E. Vetteri S., Yeluripatij J.B. First 20 years of DNDC (DeNitrification DeComposition): model evolution. *Ecological Modelling*, 2014, 292, 51–62.

Goodale C.L., Apps M.J., Birdsey R.A., Field C.B., Heath L.S., Houghton R.A., Jenkins J.C., Kohlmaier G.H., Kurz W.A., Liu S., Nabuurs G.-J., Nilsson S., Shvidenko A.Z. Forest carbon sinks in the Northern Hemisphere. *Ecological Applications*, 2002, 12(3), 891–899.

Harris I., Osborn T.J., Jones P., Lister D. Version 4 of the CRU TS monthly high-resolution gridded multivariate climate dataset. *Sci. Data*, 2020, 7(109), 1–18. doi: <https://doi.org/10.1038/s41597-020-0453-3>

Harris N.L., Gibbs D.A., Baccini A., Birdsey R.A., De Bruin S., Farina M., Fatoyinbo L., Hansen M.C., Herold M., Houghton R.A., Potapov P.V. Global maps of twenty-first century forest carbon fluxes. *Nature Climate Change*, 2021, 11(3), 234–240.

Heimann M. The EUROSIBERIAN CARBONFLUX project. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 417–419.

- Helbig M., Waddington J.M. Alekseychik P., et al. The biophysical climate mitigation potential of boreal peatlands during the growing season. *Environ. Res. Lett.*, 2020, 15, 104004. <https://doi.org/10.1088/1748-9326/abab34>
- Hiyama T., Ueyama M., Kotani A., Iwata H., Nakai T., Okamura M., Ohta T., Harazono Y., Petrov R.E., Maximov T.C. Lessons learned from more than a decade of greenhouse gas flux measurements at boreal forests in eastern Siberia and interior Alaska. *Polar Science*, 2020, 27, 100607. doi: <https://doi.org/10.1016/j.polar.2020.100607>
- Hsieh C.I., Katul G.G., Chi T.W. An approximate analytical model for footprint estimation of scalar fluxes in thermally stratified atmospheric flows. *Advances in Water Resources*, 2000, 23, 765–772.
- IPCC, 2021: *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* / Masson-Delmotte, V., P. Zhai, A. Pirani, S.L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M.I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T.K. Maycock, T. Waterfield, O. Yelekçi, R. Yu, and B. Zhou (eds.). Cambridge: Cambridge University Press. United Kingdom and New York. 2391 pp. doi:10.1017/9781009157896.
- Isaev A.S., Korovin G.N., Sukhikh V.I., Titov S.P., Utkin A.I., Golub A.A., Zamolodchikov D.G., Pryagnikov A.A. *Ekologicheskiye problemy pogloshcheniya uglekislogo gaza posredstvom lesovosstanovleniya i lesorazvedeniya v Rossii* (Ecological problems of carbon dioxide absorption through reforestation and afforestation in Russia). Moscow: Russian Ecological Policy Center Publ., 1995. (In Russ.).
- Ivanov D.G., Kotlov I.P., Minayeva T.Y., Kurbatova J.A. Estimation of carbon dioxide fluxes on a ridge-hollow bog complex using a high resolution orthophotoplan. *Nature Conservation Research*, 2021, 6(2), 16–28.
- Ivleva T.Yu., Leonova N.B. Spatial and functional heterogeneity of post-clearing communities in the southern taiga (Central Forest Reserve). *Ekosistemy: ekologiya i dinamika*, 2019, 3(4), 24–52. (In Russ.).
- Johnston A. S. A., Meade A., Ardö J., et al. Temperature thresholds of ecosystem respiration at a global scale. *Nature ecology & evolution*, 2021, 5(4), 487–494.
- Karelin D.V., Zamolodchikov D.G., Shilkin A.V., Kumanyaev A.S., Popov S.Y., Telnova, N.O., Gitarskiy M.L. The long-term effect of ongoing spruce decay on carbon exchange in Taiga forests. *Doklady Earth Sciences*, 2020, 493(1), 558–561. (In Russ.) doi: 10.1134/S1028334X20070089

- Karelin D.V., Zamolodchikov D.G., Shilkin A.V., Popov S.Y., Kumanyaev A.S., de Gerenyu V.O., Tel'nova N.O., Gitarskiy M.L. The effect of tree mortality on CO<sub>2</sub> fluxes in an old-growth spruce forest. *European Journal of Forest Research*, 2021, 140(2), 287–305.
- Karelin D.V., Zamolodchikov D.G., Zukert N.V., Chestnykh O.V., Pochikalov A.V. Kraev G.N. Interannual changes in PAR and soil moisture during the warm season may be more important for directing of annual carbon balance in tundra than temperature fluctuations. *Biology Bulletin Reviews*, 2013, 74(1), 3–22.
- Karpenko L.V., Prokushkin A.S. Genesis and history of the post-glacial evolution of forest bog in the valley of the Dubches river. *Sibirskiy Lesnoy Zhurnal*, 2013, 5, 33–44. (In Russ.). doi: 10.15372/SJFS20180503
- Kljun N., Black T.A., Griffis T.J., Barr A.G., Gaumont-Guay D., Morgenstern K., McCaughey J.H., Nesic Z. Response of net ecosystem productivity of three boreal forest stands to drought. *Ecosystems*, 2007, 10(6), 1039–1055.
- Knohl A., Kolle O., Minayeva T. Y., Milyukova I. M., Vygodskaya N. N., Foken T., Schulze E. D. Carbon dioxide exchange of a Russian boreal forest after disturbance by wind throw. *Global Change Biology*, 2002, 8(3), 231–246.
- Kolari P., Pumpanen J., Rannik U., et al. Carbon balance of different aged Scots pine forest in Southern Finland. *Global Change Biology*, 2004, 10, 1106–1119.
- Korennyye yelovyye lesa Severa: bioraznoobraziye, struktura, funktsii* (Primary Spruce Forest of the North: Biodiversity, Structure, Functions). Bobkova K.S., Galenko E.P., Eds. St. Petersburg: Nauka Publ., 2006.
- Kormann R., Meixner F.X. An analytical footprint model for non-neutral stratification. *Boundary-Layer Meteorol.*, 2001, 99, 207–224.
- Kotani A., Kononov A.V., Ohta T., Maximov T.C., Temporal variations in the linkage between the net ecosystem exchange of water vapour and CO<sub>2</sub> over boreal forests in eastern Siberia. *Ecohydrology*, 2014, 7(2), 209–225.
- Krasnov O.A., Maksyutov S., Davydov D.K., Fofonov A.V., Glagolev M.V., Inoue G. Monitoring of methane and carbon dioxide emission from soil to atmosphere and soil parameters. Bakchar bog of Tomsk region. *Optika Atmosfery i Okeana*, 2014, 28(7), 644–654. (In Russ.). doi: 10.15372/AOO20150707
- Kudeyarov V.N., Zavarzin G.A., Blagodatskii S.A., Borisov A.V., Voronin P. Yu., Demkin, T. S. Demkina V.A., Yevdokimov I.V., Zamolodchikov D.G., Karelin D.V., Komarov A.S., Kurbatova J., Arneth A., Vygodskaya N.N., Kolle O., Varlargin A.V., Milyukova I.M., Tchebakova N.M., Schulze E.-D., Lloyd J. Comparative ecosystem–atmosphere exchange of energy and mass in a European Russian and a central Siberian bog I. Interseasonal and

interannual variability of energy and latent heat fluxes during the snowfree period. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 497–513.

Kurbatova J., Li C., Varlagin A., Xiao X., Vygodskaya N. Modeling carbon dynamics in two adjacent spruce forests with different soil conditions in Russia. *Biogeosciences*, 2008, 5, 969–980.

Kurbatova J., Li C., Tatarinov F., Varlagin A., Shalukhina N., Olchev A. Modeling of the carbon dioxide fluxes in European Russia peat bogs. *Environmental Research Letters*, 2009, 4(4), 045022.

Kurbatova J., Tatarinov F., Molchanov A., Varlagin A., Avilov V., Kozlov D., Ivanov D., Valentini R. Partitioning of ecosystem respiration in a paludified shallow-peat spruce forest in the southern taiga of European Russia. *Environmental Research Letters*, 2013, 8(4), 045028.

Kurbatova Yu.A., Olchev A. *Sovremennyye nazemnyye metody issledovaniia energo- i massoobmena v biogeotsenozakh* (Modern ground methods for studying energy and mass transfer in biogeocenoses), in *Biogeotsenologiya v XXI veke: idei i tekhnologii. Chteniya pamyati akademika V.N. Sukachova. XXIV* (Biogeocenology in the 21st century: ideas and technologies. Readings in memory of Academician V.N. Sukachev. XXIV). Moscow: KMK Publ., 2017, p. 115–132. (In Russ.).

Kurganova I.N., Larionova A.A., Lopes de Gerenyu V.O., Utkin A.I., Chertov O.G. *Puly i potoki ugleroda v nazemnykh ekosistemakh Rossii* (Carbon Pools and Fluxes in Terrestrial Ecosystems of Russia). Moscow: Nauka Publ., 2007.

Kurnaev S.F. *Lesorastitel'noye rayonirovaniye SSSR* (Forestry regionalization of the USSR). Moscow: Nauka Publ., 1973.

Kurnaev S.F. *Drobnoye lesorastitel'noye rayonirovaniye Nechernozemnogo Tsentra* (Separate Forest Type Classification of the Nonchernozem Center). Moscow: Nauka Publ., 1982.

Lamentowicz M., Słowiński M., Marcisz K., Zielińska M., Kaliszan K., Lapshina E., Gilbert D., Buttler A., Fiałkiewicz-Kozieł B., Jassey V.E.J., Laggoun-Defarge F., Kołaczek P. Hydrological dynamics and fire history of the last 1300 years in western Siberia reconstructed from a high-resolution, ombrotrophic peat archive. *Quaternary Research*, 2015, 84, 312–325. doi: 10.1016/j.yqres.2015.09.002

Lapshina E.D., Alexeychik P., Dengel S., Filippova N.V., Zarov E.A., Filippov I.V., Terentyeva I.E., Sabrekov A.F., Solomin Y.R., Karpov D.V., Mammarella I. A new peatland research station in the center of West Siberia: description of infrastructure and research

activities, in *Proceedings of the 1st Pan-Eurasian Experiment (PEEX) Conference and the 5th PEEX Meeting*. Helsinki, 2015, pp. 236–240.

Levin I., Ciais P., Langenfelds R., Schmidt M., Ramonet M., Sidorov K., Tchebakova N., Gloor M., Heimann M., Schulze E.-D., Vygodskaya N.N., Shibistova O., Lloyd J. Three years of trace gas observations over the EuroSiberian domain derived from aircraft sampling — a concerted action. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 696–712.

Lloyd J., Langenfelds R.L., Francey R.J., Gloor M., Tchebakova N.M., Zolotoukhine D., Brand W.A., Werner R.A., Jordan A., Allison C.A., Zrazhewske V., Shibistova O., Schulze E.-D. A trace-gas climatology above Zotino, central Siberia. *Tellus B: Chemical and Physical Meteorology*, 2002a, 54(5), 749–767.

Lloyd J., Shibistova O., Zolotoukhine D., Kolle O., Arneth A., Wirth C., Styles J.M., Tchebakova N.M., Schulze E.-D. Seasonal and annual variations in the photosynthetic productivity and carbon balance of a central Siberian pine forest. *Tellus B: Chemical and Physical Meteorology*, 2002b, 54(5), 590–610.

Maksimov T.Kh. Carbon cycle in larch forests of the Yakut permafrost sector. *Extended Abstract of Cand. Sci. (Biol.) Dissertation*. Krasnoyarsk: Institute for biological problems of Cryolithozone SB RAS, 2007. (In Russ.).

Maksimov T. Kh., Dolman A.J., Moors E.J., Ohta T., Sugimoto A., Ivanov B.I. Parameters of carbon and water cycles in the forest ecosystems of cryolithozone. *Doklady Akademii Nauk*, 2005, 408(8), 684–686. (In Russ.). Translation: Maximov T.C., Dolman A.J., Moors E.J., Ohta T., Sugimoto A., Ivanov B.I. *Doklady Earth Sciences*, 2005, 405(8), 1199–1201.

Maksyutov S., Inoue G., Sorokin M., Nakano T., Krasnov O., Kosykh N., Mironycheva-Tokareva N., Vasiliev S. Methane fluxes from wetland in west Siberia during April–October 1998, in *Proc. the Seventh Symposium on the Joint Siberian Permafrost Studies between Japan and Russia in 1998*. Tsukuba: Isebu, 1999, pp. 115–124.

Mamkin V., Kurbatova J., Avilov V., Ivanov D., Kuricheva O., Varlagin A., Yaseneva I., Olchev A. Energy and CO<sub>2</sub> exchange in an undisturbed spruce forest and clear-cut in the Southern Taiga. *Agric. For. Meteorol.*, 2019a, 265, 252–268.

Mamkin V.V., Mukhartova Y.V., Diachenko M.S., Kurbatova J.A. Three-year variability of energy and carbon dioxide fluxes at clear-cut forest site in the European southern taiga. *Geography, Environment, Sustainability*, 2019b, 12(2), 197–212.

Mamkin V., Varlagin A., Yaseneva I., Kurbatova J. Response of Spruce Forest Ecosystem CO<sub>2</sub> Fluxes to Inter-Annual Climate Anomalies in the Southern Taiga. *Forests*, 2022, 13(7), 1019. <https://doi.org/10.3390/f13071019>

- Mamkin V., Avilov V., Ivanov D., Varlagin A., Kurbatova J. Interannual variability of the ecosystem CO<sub>2</sub> fluxes at paludified spruce forest and ombrotrophic bog in southern taiga. *Atmospheric Chemistry and Physics*, 2023, 23(3), 2273–2291. <https://doi.org/10.5194/acp-23-2273-2023>.
- Mammarella I., Peltola O., Nordbo A., Järvi L., Rannik Ü. Quantifying the uncertainty of eddy covariance fluxes due to the use of different software packages and combinations of processing steps in two contrasting ecosystems. *Atmospheric Measurement Techniques*, 2016, 9, 4915–4933. doi: 10.5194/amt-9-4915-2016.
- Masyagina O.V., Menyailo O.V., Prokushkin A.S., Matvienko A.I., Makhnykina A.V., Evgrafova S.Y., Mori S., Koike T., Prokushkin S.G. Soil respiration in larch and pine ecosystems of the Krasnoyarsk region (Russian Federation): a latitudinal comparative study. *Arabian Journal of Geosciences*, 2020, 13(18), 1–19.
- Maximov T.C., Ivanov B.I. The development of international studies of the regional and global carbon cycle in Yakutia permafrost ecosystems, in: The review of conditions and tendencies of climate changes in Yakutia. Yakutsk: The Yakut Scientific Centre of the SB RAS Publishing House, 2003, pp. 34–43.
- Maximov T.C., Maksimov A.P., Kononov A.V., Kotani A., Dolman A.J. *Carbon Cycles in Forests. Water and Carbon Dynamics*. Ohta T., Hiyama T., Iijima Y., Kotani A., Maximov T.C., Eds. Singapore: Springer Nature Singapore Pte Ltd., 2019, pp. 69–100. doi: <https://doi.org/10.1007/978-981-13-6317-7>
- Mikhaylov O.A., Zagirova S.V., Miglovets M.N. Seasonal and inter-annual variability of carbon dioxide exchange at a boreal peatland in north-east European Russia. *Mires and Peat*, 2019, 24(34), 1–16.
- Milyukova I. M., Kolle O., Varlagin A. V., Vygodskaya N. N., Schulze E. D., Lloyd J. Carbon balance of a southern taiga spruce stand in European Russia. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 429–442.
- Minaeva T.Yu., Istomin A.V., Abrazhko V.I., Bazhenova T.P., Korablev N.P., Kuraeva E.N., Kurakina I.V., Pugachevsky A.V., Rusanovich N.R., Shaposhnikov E.S. On responses of the biota to climate change in the Central Forest Reserve, in *Vliyanie izmeneniya klimata na ekosistemy*, 2001, pp. 87–100. (In Russ.)
- Monin A., Yaglom A.M. *Statisticheskaya gidromekhanika. Chast' 1.* (Statistical Hydromechanics. Part 1). Moscow: Nauka Publ., 1965. (In Russ.).
- Montgomery R.B. Vertical eddy flux of heat in the atmosphere. *J. Meteorol.*, 1948, 5, 265–274.



- Nakai Y., Matsuura Y., Kajimoto T., Abaimov A.P., Yamamoto S., Zyryanova O.A. Eddy covariance CO<sub>2</sub> flux above a Gmelin larch forest on continuous permafrost in Central Siberia during a growing season. *Theor. Appl. Climatol.*, 2008, 93, 133–147.
- Nosova M.B. Holocene spore-pollen diagrams as information source about prehistoric antropogenic activity (a case study from Central Forest natural reserve). *Byulleten Moskovskogo Obshchestva Ispytateley Prirody. Otdel Biologicheskii*, 2009, 114(3), 30–36. (In Russ.)
- Novenko E.Yu. *Dinamika lesnykh ekosistem yuga Valdayskoy vozvyshennosti v Pozdnem Pleystotsene i Golotsene* (Dynamics of Forest Ecosystems of the South of Valday Upland in Late Pleistocene and Holocene). Moscow: GEOS Publ., 2011.
- Obukhov A.M. Charakteristiki mikrostruktury vetra v prizemnom sloje atmosfery (Characteristics of the micro-structure of the wind in the surface layer of the atmosphere). *Izv. AN SSSR ser. Geofiz.*, 1951, 3, 49–68.
- Olchev A., Zyryanov V., Panov A., Satosina E., Mukhartova I., Novenko E., Prokushkin A. Seasonal variability of carbon dioxide and methane fluxes in a subarctic palsamire in North-Central Siberia. *Proceedings*, 2022, 69, 1–6.
- Olchev A.V., Zyryanov V.I., Satosina E.M., Fokeev E.V., Mukhartova Yu.V., Novenko E.Yu., Prokushkin A.S. Sezonnaya izmenchivost' potokov dioksida ugleroda, iavnogo i skrytogo tepla v severotaiozhnom listvennichnom lesu Srednei Sibiri po dannym pulsatsionnykh izmerenii (Seasonal variability of carbon dioxide, sensible and latent heat fluxes in the northern taiga larch forest of Central Siberia according to pulsation measurements). *Meteorologiya i Gidrologiya (Russian Meteorology and Hydrology)*, 2022, 10, 111–120. (In Russ.)
- Panikov N.S. Tazhnye bolota – global'nyi istochnik atmosfernogo metana? (Are taiga peat bogs a global source of methane for the atmosphere?). *Priroda*, 1995, 6, 14–25.
- Panov A.V., Prokushkin A.S., Zrazhevskaya G.K., Urban A.B., Zyryanov V.I., Sidenko N.V., Heimann M. Winter CO<sub>2</sub> fluxes in ecosystems of Central Siberia: comparative estimates using three different approaches. *Russian Journal of Ecology*, 2021, 52(2), 126–135.
- Panov A., Prokushkin A., Semiletov I., Kübler K., Korets M., Putilin I., Urban A., Bondar M., Heimann M. Atmospheric CO<sub>2</sub> and CH<sub>4</sub> fluctuations over the continent-sea interface in the Yenisei River sector of the Kara Sea. *Atmosphere*, 2022, 13(9), 1402.
- Panov A.V., Prokushkin A.S., Kübler K., Korets M.A., Urban A.V., Zrazhevskaya G.K., Bondar M.G., Heimann M., Saale Z. Precision monitoring of the concentration of carbon dioxide and methane in the surface atmosphere of the polar belt of the Yenisei Siberia.

*Meteorologiya i Gidrologiya (Russian Meteorology and Hydrology)*, 2022, 11, 19–31. (In Russ.)

Park S.-B., Knohl A., Migliavacca M., Thum T., Vesala T., Peltola O., Mammarella I., Prokushkin A., Kolle O., Lavrič J., Park S.S., Heimann M. Temperature Control of Spring CO<sub>2</sub> Fluxes at a Coniferous Forest and a Peat Bog in Central Siberia. *Atmosphere*, 2021, 12(8), 984.

*Permafrost ecosystems Siberian larch forests series*. Osawa A., Zyryanova O.A., Matsuura Y., Kajimoto T., Wein R.W. (Eds.) Ecological Studies, Vol. 209. Springer, 2010. 502 p.

Puzachenko Yu.G., Kotlov I.P., Sandler'skiy R.B. Analysis of changes of land cover using multispectral remote sensing information in the Central Forest reserve. *Izvestiya Rossiiskoi Akademii Nauk. Seriya Geograficheskaya*, 2014, 3, 5–18. (In Russ.) doi:10.15356/0373-2444-2014-3-5-18

Rödenbeck C., Houweling S., Gloor M., Heimann M. CO<sub>2</sub> flux history 1982–2001 inferred from atmospheric data using a global inversion of atmospheric transport. *Atmos. Chem. Phys. Discuss.*, 2003, 3, 2575–2659.

Romanovskaya A.A., Nakhutin A.I., Ginzburg V.A., Grabar V.A., Imshennik E.V., Karaban' R.T., Korotkov V.N., Vertyankina V.Yu., Grigurina T.V., Govor I.L., Litvinchuk G.G., Lyutov V.M., Polumieva P.D., Popov N.V., Trunov A.A., Prokhorova L.A. *Natsional'ny doklad o kadastre antropogennykh vybrosov iz istochnikov i absorbcii poglotitelyami parnikovyykh gazov, ne reguliruemyykh Monreal'skim protokolom za 1990–2020 gg. Chast' 1*. (National Report on the Inventory of Anthropogenic Emissions from Sources and Removals by Sinks of Greenhouse Gases not Controlled by the Montreal Protocol for 1990–2020. Part 1). Moscow: Rosgidromet, 2022a.

Romanovskaya A.A., Nakhutin A.I., Ginzburg V.A., Grabar V.A., Imshennik E.V., Karaban' R.T., Korotkov V.N., Vertyankina V.Yu., Grigurina T.V., Govor I.L., Litvinchuk G.G., Lyutov V.M., Polumieva P.D., Popov N.V., Trunov A.A., Prokhorova L.A. *Natsional'nyi doklad o kadastre antropogennykh vybrosov iz istochnikov i absorbczii poglotitelyami parnikovyykh gazov, ne reguliruemyykh Monreal'skim protokolom za 1990 – 2020 gg. Chast' 2. Prilozheniya*. (National Report on the Inventory of Anthropogenic Emissions from Sources and Removals by Sinks of Greenhouse Gases not Controlled by the Montreal Protocol for 1990–2020. Part 2. Appendixes). Moscow: Rosgidromet, 2022b.

Röser C., Montagnani L., Schulze E.-D., Mollicone D., Kolle O., Meroni M., Papale D., Beletti Marchesini L., Federici S., Valentini R. Net CO<sub>2</sub> exchange rates in three different successional stages of the “Dark Taiga” of central Siberia. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 642–654.

- Schepaschenko D.G., Shvidenko A.Z., Lesiv M.Y., Kraxner F., Ontikov P.V., Shchepashchenko M.V. Estimation of forest area and its dynamics in Russia based on synthesis of remote sensing products. *Contemporary Problems of Ecology*, 2015, 8(7), 811–817.
- Schimel D., House J., Hibbard K., et al. Recent patterns and mechanisms of carbon exchange by terrestrial ecosystems. *Nature*, 2001, 414, 169–172.
- Schneider J., Kutzbach L., Wilmking M. Carbon dioxide exchange fluxes of a boreal peatland over a complete growing season, Komi Republic, NW Russia. *Biogeochemistry*, 2012, 111(1), 485–513. doi:10.107/s10533-011-9684-x.
- Schulze E.-D., Lloyd J., Kelliher F.M., Wirth C., Rebmann C., Lühker B., Mund M., Knohl A., Milyukova I.M., Schulze W., Ziegler W., Varlagin A.V., Sogachev A.F., Valentini R., Dore S., Grigoriev S., Kolle O., Panfyorov M. I., Tchebakova N., Vygodskaya N.N. Productivity of forests in the Eurosiberian boreal region and their potential to act as a carbonsink – a synthesis. *Global Change Biology*, 1999, 5(6), 703–722.
- Schulze E.-D., Vygodskaya N.N., Tchebakova N.M., Czimczik C.I., Kozlov D.N., Lloyd J., Mollicone D., Parfenova E., Sidorov K.N., Varlagin A.V., Wirth Ch. The Eurosiberian transect: An introduction to the experimental region. *Tellus B: Chemical and Physical Meteorology*, 2002a, 54(5), 421–428.
- Schulze E.-D., Prokuschkin A., Arneth A., Knorre N., Vaganov E.A. Net ecosystem productivity and peat accumulation in a Siberian Aapa mire. *Tellus B: Chemical and Physical Meteorology*, 2002b, 54(5), 531–536.
- Shibistova O., Lloyd J., Evgrafova S., Savushkina N., Zrazhevskaya G., Arneth A., Knohl A., Kolle O., Schulze E.-D. Seasonal and spatial variability in soil CO<sub>2</sub> efflux rates for a central Siberian Pinus sylvestris forest. *Tellus B: Chemical and Physical Meteorology*, 2002a, 54(5), 552–567.
- Shibistova O., Lloyd J., Zrazhevskaya G., Arneth A., Kolle O., Knohl A., Astrakhantceva N., Shijneva I., Schmerler J. Annual ecosystem respiration budget for a Pinus sylvestris stand in central Siberia. *Tellus B: Chemical and Physical Meteorology*, 2002b, 54(5), 568–589.
- Shimoyama K., Inoue G., Nakano T. Seasonal variation in heat budget in the west Siberian wetland – Observation results from April to July in 1998, in *Proceedings of the Seventh Symposium on the Joint Siberian Permafrost Studies between Japan and Russia in 1998*. Tsukuba: Isebu, 1999, pp. 168–174.
- Shimoyama K., Hiyama T., Fukushima Y., Inoue G. Seasonal and interannual variation in water vapor and heat fluxes in a West Siberian continental bog. *Journal of Geophysical Researches-Atmosphere*, 2003, 108, 4648. doi: 10.1029/2003jd003485.

- Shimoyama K., Hiyama T., Fukushima Y., Inoue G. Controls on evapotranspiration in a west Siberian bog. *Journal of Geophysical Research: Atmospheres*, 2004, 109, D8.
- Swinbank W.C. The measurement of vertical transfer of heat and water vapor by eddies in the lower atmosphere. *J. Meteorol.*, 1951, 8, 135–145.
- Takata K., Patra P.K., Kotani A., Mori J., Belikov D., Ichii K., Saeki T., Ohta T., Saito K., Ueyama M., Ito A., Reconciliation of top-down and bottom-up CO<sub>2</sub> fluxes in Siberian larch forest. *Environmental Research Letters*, 2017, 12(12), 125012.
- Tchebakova N.M., Kolle O., Zolotoukhine D., Arneth A., Styles J.M., Vygodskaya N.N., Schluze E.-D., Shibistova O., Lloyd J. Inter-annual and seasonal variations of energy and water vapour fluxes above a *Pinus sylvestris* forest in the Siberian middle taiga. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 537–551.
- Timokhina A.V., Prokushkin A.S., Panov A.V., Kolosov R.A., Sidenko N.V., Lavrich J., Heimann M. Interannual variability of atmospheric CO<sub>2</sub> concentrations over central Siberia from ZOTTO data for 2009–2015. *Russian Meteorology and Hydrology*, 2018, 43(5), 288–294. doi: 10.3103/S1068373918050023
- Tramontana G., Jung M., Schwalm C. R., et al. Predicting carbon dioxide and energy fluxes across global FLUXNET sites with regression algorithms. *Biogeosciences*, 2016, 13, 4291–4313.
- Tsyganov A.N., Zarov E.A., Mazei Y.A., Kulkov M.G., Babeshko K.V., Yushkovets S.Y., Payne R.J., Ratcliffe, J.L., Fatyunina, Y.A., Zazovskaya E.P., Lapshina E.D. Key periods of peatland development and environmental changes in the middle taiga zone of Western Siberia during the Holocene. *Ambio*, 2021, 50, 1896–1909. doi:10.1007/s13280-021-01545-7.
- Urban A.V., Prokushkin A.S., Korets M.A., Panov A.V., Gerbig K., Heimann M. Influence of the underlying surface on greenhouse gas concentrations in the atmosphere over Central Siberia. *Geografiya i Prirodnye Resursy*, 2019, 3, 32–40. (In Russ.). doi: 10.21782/GIPR0206-1619-2019-3(32-40).
- Van der Molen M.K., Van Huissteden J., Parmentier F.J.W., Petrescu A.M.R., Dolman A.J., Maximov T.C., Kononov A.V., Karsanaev S.V. and Suzdalov D.A. The growing season greenhouse gas balance of a continental tundra site in the Indigirka lowlands, NE Siberia. *Biogeosciences*, 2007, 4(6), 985–1003.
- Virkkala A.M., Natali S.M., Rogers B.M., Watts J.D., Savage K., Connon S.J., Mauritz M., Schuur E.A., Peter D., Minions C., Nojeim J. The ABCflux database: Arctic-Boreal CO<sub>2</sub> flux observations and ancillary information aggregated to monthly time steps across terrestrial ecosystems. *Earth System Science Data*, 2022, 14(1), 179–208.

- Vompersky S.E., Sirin A.A., Sal'nikov A.A., Tsyganova O.P., Valyaeva N.A. Estimation of the areas of peatland and paludified Shallow – peat forest in Russia. *Lesovedenie*, 2011, 5, 67–82. (In Russ.). doi: 10.15356/0373-2444-2014-5-67-82
- Vygodskaya N.N., Milyukova I., Varlagin A., Tatarinov F., Sogachev A., Kobak K.I., Desyatkin R., Bauer G., Hollinger D.Y., Kelliher F.M., Schulze E.D. Leaf conductance and CO<sub>2</sub> assimilation of *Larix gmelinii* growing in an eastern Siberian boreal forest. *Tree Physiology*, 1997, 17(10), 607–615.
- Vygodskaya N.N., Schulze E.-D., Tchebakova N.M., Karpachevskii L.O., Kozlov D., Sidorov K.N., Panforyov M.I., Abrazko M.A., Shaposhnikov E.S., Solnzeva O.N., Minaeva T.Y., Jeltuchin A.S., Wirth C., Pugachevskii A.V. Climatic control of stand thinning in unmanaged spruce forests of the southern taiga in European Russia. *Tellus B: Chemical and Physical Meteorology*, 2002, 54(5), 443–461.
- Vygodskaya N.N., Oltchev A.V., Kurbatova J.A., Varlagin A. Gross primary production (GPP) of unmanaged over-mature spruce forests at Southern European taiga: Eddy covariance measurements and modeling approach, in: *Modeling forest production, scientific tools - data needs and sources, validation and application*. Hasenauer H., Makela A. (ed.). Heron Publishing, 2004, pp. 421–430.
- Wutzler T., Lucas-Moffat A., Migliavacca M., Knauer J., Sickel K., Šigut L., Menzer O., Reichstein M. Basic and extensible post-processing of eddy covariance flux data with REddyProc. *Biogeosciences*, 2018, 15, 5015–5030.
- Yuste J.C., Flores-Rentería D., García-Angulo D., Hereş A.M., Bragă C., Petritan A.M., Petritan I.C. Cascading effects associated with climate-change-induced conifer mortality in mountain temperate forests result in hot-spots of soil CO<sub>2</sub> emissions. *Soil Biology and Biochemistry*, 2019, 133, 50–59.
- Zagirova S.V., Mikhailov O.A., Schneider J. Carbon dioxide, heat and water vapor exchange in the boreal spruce and peatland ecosystems. *Teoreticheskaya i prikladnaya ekologiya (Theoretical and applied ecology)*, 2019a, 3, 12–20.
- Zagirova S.V., Mikhailov O.A., Elsakov V.V. Carbon Dioxide and Water Exchange between Spruce Forest and Atmosphere in Spring–Summer under Different Weather Conditions. *Contemporary Problems of Ecology*, 2019b, 12(1), 45–58.
- Zagirova S.V., Mikhaylov O.A., Elsakov V.V. Carbon Dioxide, Heat, and Water Vapor Fluxes between a Spruce Forest and the Atmosphere in Northeastern European Russia. *Biology Bulletin*, 2020, 47(3), 306–317.

Zagirova S.V., Mikhailov O.A. Ecosystem exchange of carbon dioxide and water in cowberry lichen pine forest in the middle taiga subzone of eastern Europe. *Russian Journal of Ecology*, 2021, 52(3), 201–211.

Zamolodchikov D.G., Karelin D.V., Chestnykh O.V. Measurements of carbon balance in permafrost ecosystems: advances and problems. *Doklady Biological Sciences*, 2004, 397(1), 333–335. doi: 10.1023/B:DOBS.0000039708.85095.b2

Zamolodchikov D.G. CO<sub>2</sub>-gazoobmen tundr ostrova Vaigach v netipichno teplyi i sukhoi vegetatsionnyi sezon (CO<sub>2</sub>-exchange in tundra ecosystems of Vaygach island during the unusually warm and dry vegetation season). *Zhurnal Obshchey Biologii*, 2015, 76(2), 83–98. (In Russ.).

Zamolodchikov D.G., Gitarsky M.L., Shilkin A.V., Marunich A.S., Karelin D.V., Blinov V.G., Ivashchenko A.I. Monitoring tsiklov dioksida ugleroda I vodyanogo para na poligone “log Tazhnyi” (Valdaiskii natsional’nyi park) (Monitoring of carbon dioxide and water vapor cycles at the “log Tayozhny” experimental site (national park “Valdaysky”)). *Fundamentalnaya i Prikladnaya Klimatologiya*, 2017, 1, 54–68. (In Russ.). doi: 10.21513/2410-8758-2017-1-54-68

Zyryanov V.I., Nakai Y., Vaganov E.A. Influence of the microclimatic parameters on the carbon dioxide fluxes in larch ecosystems of Evenkian part of Siberia. *Conifers of the Boreal Zone*, 2008, 25(1–2), 122–128 (in Russ.).